



## Marine Antennas European Retail Price List 2019/20

Part Number (old part No. in brackets)	KN	VPC	MPC
<b>VHF Antennas</b>			
<b>VHF - Helical</b>			
HA156C	Unity gain, 0.15m, (V-Tronix) 'Heliflex' helical stub antenna, integral aluminium bracket, 20m RG58 cable + PL259	484,00 kn	605,00 kn
5912	Unity gain, 0.2m, 'Rubber Duck' quick-connect helical antenna, mounting kit + PL259	488,00 kn	610,00 kn
MD23	Unity gain, 0.3m, Extra heavy duty helical antenna, 20m RG58 cable + PL259, mast bracket included	904,00 kn	1.130,00 kn
MD23N	Unity gain, 0.3m, Extra heavy duty helical antenna, 'N' connector in base	984,00 kn	1.230,00 kn
<b>VHF - Stainless Steel</b>			
<b>(For Sailboats)</b>			
YWXX	3dB 0.9m, (V-Tronix) Whipflex - S/S whip, Stand Off bracket, solderless connector, 20m RG58 cable + PL259	528,00 kn	660,00 kn
YHK	3dB 0.9m, (V-Tronix) Hawk - S/S whip, hawk wind Indicator, mast top bracket, solderless connector, 20m RG58 cable + PL259	740,00 kn	925,00 kn
5216	Unity gain, 0.3m, black ultra light weight sailboat racer's VHF antenna, SO239 (UHF) connector in base + L bracket	368,00 kn	460,00 kn
5215-D	3dB 0.9m, S/S whip, sailboat antenna, SO239 (UHF) connector in base, SS bracket	476,00 kn	595,00 kn
MD20	3dB 0.9m, Extra heavy duty S/S whip, 20m RG58 cable + PL259, Mast Bracket included	768,00 kn	960,00 kn
5215-C-X	Standard 5215 antenna with 60' RG-8X Coax included <b>NOTE Limited Availability</b>	696,00 kn	870,00 kn
<b>(For Powerboats and RIBs)</b>			
5247-A-D	3dB 0.9m, 'Lift 'n Lay', heavy duty SS whip, SO239 (UHF) connector in base, SS bracket	520,00 kn	650,00 kn
5250-D	3dB 0.9m, 'Skinny Mini' SS whip, 1"-14 chrome ferrule, 4.5m cable + PL259	536,00 kn	670,00 kn
YBR	Unity gain, 0.5m, (V-Tronix) 'RIB Raider' - Black SS whip antenna for R.I.B.s, solderless connector, bracket, 8m RG58 cable + PL259	616,00 kn	770,00 kn
YRR-W	Unity gain, 0.5m, (V-Tronix) 'RIB Raider' - White SS whip antenna for R.I.B.s, solderless connector, bracket, 8m RG58 cable + PL259 <b>NOTE NEW LOWER PRICE Limited Availability</b>	504,00 kn	630,00 kn
5241-R	3dB 0.9m, Extra heavy duty SS whip, chromed brass canisters. 1"-14 mount, 4.5m RG58 + PL259	668,00 kn	835,00 kn
MD20N	3dB 0.9m, Extra heavy duty S/S whip, 'N' connector in base	820,00 kn	1.025,00 kn
<b>VHF - Emergency and Removable</b>			
5911	Unity gain, 0.2m, flexible emergency VHF antenna, waterproof container, 3.6m RG58 cable + PL259	500,00 kn	625,00 kn
SL156	Unity gain, 0.4m (V-Tronix) 'Shoreline' emergency antenna, waterproof container, 6m RG174 cable + PL259	644,00 kn	805,00 kn
GALAXY-INFL8	3dB 1.5m, inflatable emergency VHF antenna. 6m RG174 cable + PL-259, PLUS Splice adaptors and HandHeld adaptors	1.100,00 kn	1.375,00 kn
<b>VHF - Fibreglass (1.2m) 3dB</b>			
426-N	3dB 1.2m, Extra tough, coax brass element, 1"-14 nylon ferrule, 4.5m RG58 + PL259	500,00 kn	625,00 kn
5104	3dB 1.2m, brass & copper element, 1"-14 chromed brass ferrule, 4.5m RG58 + PL259	528,00 kn	660,00 kn
5400-XT	3dB 1.2m, Galaxy® white fibreglass 1"-14 SS ferrule, 6m RG8X + PL259	1.020,00 kn	1.275,00 kn
5401-XT	3dB 1.2m, Galaxy® black gloss fibreglass 1"-14 SS ferrule, 6m RG 8X + PL259	788,00 kn	985,00 kn
5400-XP	3dB 1.2m, Galaxy® white fibreglass 'extended performance' (silver coated elements), 1"-14 SS ferrule. 6m RG8X + PL259	1.160,00 kn	1.450,00 kn
1200-V	3dB 1.2m cablefree® antenna - with 1"-11 BSP mount nut, chrome brass ferrule, SO239 (UHF) connector in base <b>NOTE NEW LOWER PRICE Limited Availability</b>	700,00 kn	875,00 kn
<b>VHF - Fibreglass (1.5m) 3dB</b>			
427-S	3dB 1.5m, white gloss fibreglass antenna., 1"-14 S/S Ferrule, 6m RG58 cable + PL259	652,00 kn	815,00 kn
427-N	3dB 1.5m, white gloss fibreglass antenna, 1"-14 nylon ferrule, 6m RG58 cable + PL259	508,00 kn	635,00 kn
427-N-KIT	3dB 1.5m, Antenna kit consists of 427-N antenna plus 4186 nylon mount	572,00 kn	715,00 kn
<b>VHF - Fibreglass (2.4m) 6dB</b>			
5206-N	6dB 2.4m, white fibreglass economy antenna, 1"-14 nylon ferrule, 4.5m RG58 cable + PL259	528,00 kn	660,00 kn
5206-C	6dB 2.4m, white fibreglass economy antenna, 1"-14 chromed brass ferrule, 4.5m RG58 cable + PL259	608,00 kn	760,00 kn
5101-S	6dB 2.4m, white gloss fibreglass, brass & copper elements, 1"-14 SS ferrule, 6m RG58 cable + PL259	688,00 kn	860,00 kn
5225-XT	6dB 2.4m, Galaxy® white fibreglass, brass & copper elements, collinear phased, 1"-14 SS ferrule, 6m RG8X + PL259	1.164,00 kn	1.455,00 kn
5226-XT	6dB 2.4m, Galaxy® black gloss fibreglass, brass & copper elements, collinear phased, 1"-14 SS ferrule, 6m RG8X + PL259	1.168,00 kn	1.460,00 kn
5225-XP	6dB 2.4m, Galaxy® white, 'extended performance' (silver coated collinear phased elements), 1"-14 SS ferrule. 6m RG8X + PL259	1.948,00 kn	2.435,00 kn
<b>VHF - Fibreglass (3m - 7m) 6dBi- 10dBi</b>			
399-1M	6dB 3m, white 2 sections mast mount, collinear phased 5/8 wave elements, aluminium sleeve, SO239 (UHF) connector, U bolts included	2.140,00 kn	2.675,00 kn
4018	9dB 5.8m, white 2 sections, brass & copper collinear phased 1/2 wave elements, 1"-14 chromed brass ferrule, 6m RG58 cable + PL259	3.304,00 kn	4.130,00 kn
4018-M	9dB 5.8m, white 2 sections, mast mount, collinear 1/2 wave elements, aluminium sleeve, SO239 (UHF) base connector, U bolts included	3.304,00 kn	4.130,00 kn
5208-R	9dB 7.0m 2PC F/F6 ANTENNA, 1"-14 C/B/BRASS FERRULE, 6M RG58, PL259 CONNECTOR, 156-162 MM2	3.068,00 kn	3.835,00 kn
476	10dB 6.4m, white 1 section, mast mount, brass & copper collinear phased 1/2 wave elements, all sleeve, SO239 (UHF) con, use 483/484 mount	7.620,00 kn	9.525,00 kn
<b>VHF - Extra Heavy Duty</b>			
MD70	3dB 1.5m, Extra heavy duty mast mount VHF antenna, 1m RG213 cable, 'N' connector, mast mount U bolts included	1.316,00 kn	1.645,00 kn
MD7A	3dB 1.6m Extra heavy duty mast mount dipole VHF, 3m RG213 cable, 'N' connector, mast mount brackets (4715) included	1.520,00 kn	1.900,00 kn
MD7A-N	3dB 1.6m Extra heavy duty mast mount dipole VHF, No cable in base, Waterproof shroud, 'N' Connector, mast mount brackets (4715) included	1.504,00 kn	1.880,00 kn
MD15	6dB 2.8m, Extra heavy duty mast mount collinear VHF, 1m RG213 cable, 'N' connector, mast mount brackets (4715) included	1.672,00 kn	2.090,00 kn
MD15-N	6dB 2.8m, Extra heavy duty mast mount collinear VHF, No cable in base, Waterproof shroud, 'N' connector, mast mount brackets (4715) included	1.656,00 kn	2.070,00 kn



### Marine Antennas European Retail Price List 2019 / 20

Part Number (old part No. in brackets)

#### Active Antennas (receive only for Navtex, HF/SSB, DGPS, AM, LW, MW, SW.)

AA1	1 outlet power supply/splitter box for AA20 active (receive only) antennas - outputs - Navtex, HF/SSB, DGPS, AM, LW, MW, SW.	944.00 kn	1.180,00 kn
AA20	0.9m S/S active whip antenna (receive only), bracket, BNC connector, 20m RGS8 cable	948.00 kn	1.185,00 kn

#### SSB / HF Antennas

390	7.0m 1kw 2 sections, 1"-14 chromed brass ferrule, side feed band. (Use 409-R or 410-R mounts)	2.188.00 kn	2.735,00 kn
390-1	7.0m 1kw 2 sections self-supporting deck mount, chromed brass ferrule, side feed band	2.604.00 kn	3.255,00 kn
393	7.0m 1kw 3 sections, 1"-14 chromed brass ferrule, side feed band. (Use 409-R or 410-R mounts)	3.000.00 kn	3.750,00 kn
5300	8.5m 1kw white 2 sections, mast mount, chromed brass ferrule, side feed band. (Use 483 or 484 mounts)	5.280.00 kn	6.600,00 kn

#### AIS Antennas

AIS - Helical			
HA150C-AIS	Unity gain 0.15m, helical AIS antenna. Integral aluminium bracket. 20m RGS8 + PL259	484.00 kn	605,00 kn
MD23-AIS	Unity gain 0.3m, heavy duty helical AIS antenna, 20m cable + PL259, mast bracket included	904.00 kn	1.130,00 kn

#### AIS - Stainless Steel

5215-AIS	3dB 0.9m, SS whip AIS antenna, SO239 (UHF) connector, SS bracket + PL259	480.00 kn	600,00 kn
5250-AIS	3dB 0.9m, "Skinny Mini" SS whip, AIS antenna. 1"-14 chromed brass ferrule, 4.5m RGS8 cable + PL259	536.00 kn	670,00 kn
AIS-MAST	3dB 0.9m, SS whip AIS antenna, solderless connector, stand off bracket, 20m RGS8 cable + PL259	668.00 kn	835,00 kn

#### AIS - Fibreglass

5396-AIS	3dB 1.2m Galaxy® white AIS antenna. 1"-14 SS ferrule, 6m RGS8 cable + PL259	1.020.00 kn	1.275,00 kn
5225-XT-AIS	6dB 2.4m, Galaxy® white fibreglass AIS antenna, brass & copper elements, collinear phased. 1"-14 SS ferrule, 6m RGS8 + PL259	1.164.00 kn	1.455,00 kn
AIS-COM	3dB 1.6m Extra heavy duty fibreglass AIS antenna, 1m RG213 cable, "N" Jack, mast mount brackets (4715) included	1.540.00 kn	1.935,00 kn
AIS-COM-N	3dB 1.6m Extra heavy duty fibreglass AIS antenna, Nocable in base, Waterproof shroud, "N" Jack, mast mount brackets (4715) included	1.520.00 kn	1.900,00 kn

#### ENTERTAINMENT BAND ANTENNAS

5215-DAB1	Shakespeare® Classic™ Squatty Body™ 36in low-profile stainless DAB sailboat whip antenna (matches 5215 Style)	480.00 kn	600,00 kn
4353	0in-Glass tape AM/FM antenna, 1.8m cable, Motorola type plug fitted	328.00 kn	410,00 kn
YR8 AM/FM	0.48m Black SS AM/FM antenna for RIBs. Matches YR8 (RIB Raider) VHF. Bracket, 8m RGS8 cable, Motorola type plug fitted	616.00 kn	770,00 kn
4355	Shakespeare® Classic™ Squatty Body™ 36in low-profile stainless AM/FM sailboat whip antenna (matches 5215-AIS)	476.00 kn	595,00 kn
4356	Shakespeare® Classic™ Skinny Mini™ 36in low-profile stainless AM/FM powerboat whip antenna (matches 5250-AIS)	536.00 kn	670,00 kn
4351	1.0m white gloss fibreglass AM/FM, 1"-14 nylon ferrule, 3m RG62 cable, Motorola type plug fitted	640.00 kn	800,00 kn
4350	1.0m white gloss fibreglass AM/FM, nylon deck lift "n Lay mount, 3m RG62 cable, Motorola type plug fitted	648.00 kn	810,00 kn
5423-XT	1.2m Galaxy® black AM/FM, 1"-14 SS ferrule, 3.7m RG62 cable with Motorola type plug fitted	808.00 kn	1.010,00 kn
5420-XT	1.2m Galaxy® white AM/FM, 1"-14 SS ferrule, 3.7m RG62 cable with Motorola type plug fitted	808.00 kn	1.010,00 kn
5350-N	1.5m white gloss fibreglass, AM/FM, 1"-14 nylon ferrule, 4.6m RG62 cable, Motorola type plug fitted (Matches 427-N)	600.00 kn	750,00 kn
5120-S	2.4m white gloss fibreglass, AM/FM, 1"-14 SS ferrule 4.6m RG-62 cable, Motorola type plug fitted (Matches 5101-S)	660.00 kn	825,00 kn
4357-S	AM/FM / VHF marine band separator, use with all marine VHF antennas and AM/FM receivers	592.00 kn	740,00 kn

#### CB ANTENNAS

176-1	CB 7.65DB 5.5M F/G ANTENNA, 1"-14 C/BRASS FERRULE, INTEGRAL SO239 CONNECTOR, 27 MHZ	2.104.00 kn	2.630,00 kn
5223-XT	8" GALAXY CB MARINE TUNEABLE W/20' CABLE	1.368.00 kn	1.710,00 kn
5207	CB 10B 2.4M F/G ANTENNA, 1"-14 C/BRASS FERRULE, 4.6M RGS8, PL259 CONNECTOR, 27 MHZ	976.00 kn	1.220,00 kn

#### TV Antennas

SA-HDTV-MAR8	8" h x 4.3" w 30dB antenna, built in LTE filter, 12/24v power supply with UK/Euro adapters, 10m + 1.5m RGS9 with connectors. 1"-14 base	768.00 kn	960,00 kn
SA-HDTV-MAR10	10" 30dB antenna, built in LTE filter, 12/24v power supply with UK/Euro adapters, 25m + 1.5m RGS9 with connectors. 1"-14 base	988.00 kn	1.235,00 kn
SA-HDTV-MAR14	14" 30dB antenna, built in LTE filter, 12/24v power supply with UK/Euro adapters, 25m + 1.5m RGS9 with connectors. 1"-14 base	1.428.00 kn	1.785,00 kn

#### TV Accessories

4366	Mount, Aluminium Mast Mount, for TV Antennas, 1"-14	312.00 kn	390,00 kn
TV-4S	4 Way Passive TV Splitter, 5MHz - 1000MHz	168.00 kn	210,00 kn
TV-1070	Gold-plated screw-on F type connector for RG6 cable, 2 per pack	32.00 kn	40,00 kn

#### Cellular Antennas

5239	Full 2G / 3G / 4G LTE antenna 698-2700MHz - SS Ferrule	2.190.00 kn	2.737,50 kn
------	--	-------------	-------------

#### Loran Antennas

4208	2.4m Loran C white gloss fibreglass whip antenna, chromed brass ferrule with Loran C 3/8 inch x 24 thread	372.00 kn	465,00 kn
------	---	-----------	-----------

#### Quick Connect Antennas

QC-2	QuickConnect 2dB 0.45m, S/S whip, chrome ferrule. For use with QC mount series		
QC-3	Quick Connect 3dB 0.9m, S/S whip, chrome ferrule. For use with QC mount series		
QC-3N	Quick Connect 3dB 0.9m, S/S whip, Nylon ferrule. For use with QC mount series		
QC-4	Quick Connect 3dB 1.2m, white fibreglass, Chrome ferrule. For use with QC mount series		
QC-8	Quick Connect 6dB 2.4m, white fibreglass, Chrome ferrule. For use with QC mount series		

#### Quick Connect Mounts

QCM-S	New! Quick Connect SS Ratchet Mount with cable (use with QC series of antennas)		
QCM-N	Quick Connect Nylon Ratchet Mount with cable (use with QC series of antennas)		
QCM-SR	Quick Connect SS Rail Mount with cable (use with QC series of antennas)		
QCM-NR	Quick Connect Nylon Rail Mount with cable (use with QC series of antennas)		
QC-4710	QC - Deck Mount, Straight, S/S, 1"-14, 25mm high		



## Marine Antennas European Retail Price List 2019 / 20

Part Number (old part No. in brackets)

<b>WiFi</b>			
5239	Full 2G / 3G / 4G LTE antenna 698-2700MHz - SS Ferrule	2.192,00 kn	2.740,00 kn
<b>Speakers / Hailers</b>			
WS200-P	(V-Tronix) 14 cm 5 watt 'Deck Watch' extension loud speaker for VHF radios, for external flush or surface mount	696,00 kn	870,00 kn
ES-2	6 cm 5 watt external speaker with ratchet action mounting bracket	264,00 kn	330,00 kn
ES-4	10cm 8 watt deluxe external speaker, swivel bracket	324,00 kn	405,00 kn
HS-5	Hailer Horn Speaker 13 cm 15 watt, external horn / hailer, mount and cable	364,00 kn	455,00 kn
HS-40	PA/ Hailer Horn Speaker 18cm. 40 Watts (Speaker / Listener) swivel mount and cable	1.404,00 kn	1.755,00 kn
<b>Antenna Spares (V-Tronix)</b>			
ACC158	Solderless cable termination kit (for use on YHK, YWK, YRR, AIS-MAST)	80,00 kn	100,00 kn
YH1	Hawk Wind Indicator kit (For use on YHK only)	260,00 kn	325,00 kn
YWA	3dB 0.9m. S/S Whip (V-Tronix) 'Whiplix' VHF antenna only, including solderless connector	432,00 kn	540,00 kn
YRA	Unity 0.48m. YRR (V-Tronix) 'Raider' black antenna only, including solderless connector	508,00 kn	635,00 kn
YHA	3dB 0.9m. (V-Tronix) 'Hawk' VHF antenna only, including solderless connector	508,00 kn	635,00 kn
<b>Extension Masts</b>			
<b>Heavy Duty Stainless Steel</b>			
4700	0.15m heavy duty stainless steel extension mast with 1"-14 fittings	176,00 kn	220,00 kn
4700-1	0.3m heavy duty stainless steel extension mast with 1"-14 fittings	292,00 kn	365,00 kn
4700-2	0.6m heavy duty stainless steel extension mast with 1"-14 fittings	564,00 kn	705,00 kn
<b>Galaxy Heavy Duty White Fibreglass</b>			
5228-1	0.3m Galaxy® white extension mast, 25mm diameter, 1"-14 fittings	436,00 kn	545,00 kn
5228-2	0.6m Galaxy® white extension mast, 25mm diameter, 1"-14 fittings	460,00 kn	575,00 kn
5228-4	1.2m Galaxy® white extension mast, 38mm diameter, 1"-14 fittings	840,00 kn	1.050,00 kn
5228	2.4m Galaxy® white extension mast, 38mm diameter, 1"-14 fittings	1.232,00 kn	1.540,00 kn
<b>Mounts &amp; Accessories</b>			
<b>1"-14 Deck Mounts</b>			
4186-CS	Ratchet mount, nylon, assembled	143,62 kn	179,52 kn
4187-HD	Ratchet mount, stainless steel, cable slot. HD Version is now Standard! Improved strength to extra Heavy Duty.	500,00 kn	625,00 kn
5187	Ratchet mount, sleek, nutless, four-way stainless steel, cable slot, (Patented 5° tilt adjustment)	548,00 kn	685,00 kn
4710	Flange mount, stainless steel, low profile 25mm high	164,00 kn	205,00 kn
4711	Flange mount, nylon, low profile 25mm high	32,00 kn	40,00 kn
4365	Flange mount, stainless steel, 110mm high	240,00 kn	300,00 kn
495-B	Deck mount, nylon Lift 'n' Lay	216,00 kn	270,00 kn
<b>1"-14 Rail Mounts</b>			
4188-S	Ratchet mount, stainless steel, cable slot, streamlined nutless swivel type to fit 22mm / 25mm vertical, horizontal or angled rails	572,00 kn	715,00 kn
4188-SL	Ratchet mount, stainless steel, cable slot, to fit 25mm / 38mm vertical, horizontal or angled rails	732,00 kn	915,00 kn
4190	Ratchet mount, stainless steel, cable slot, to fit 22mm / 25mm vertical, horizontal or angled rails	472,00 kn	590,00 kn
4721	Rail mount, nylon, to fit 22mm and 25mm rails	140,00 kn	175,00 kn
4722	Rail or bulkhead mount, nylon, cable slot, to fit round or square 22mm, 25mm rails or flat surfaces	72,00 kn	90,00 kn
4720	Rail or bulkhead mount, stainless steel, to fit round or square 22mm, 25mm, 32mm rails or flat surfaces	144,00 kn	180,00 kn
<b>Mounting Brackets</b>			
4716	Stand-off angled mast mounting bracket. Durable black plastic, 16mm dia hole	68,00 kn	85,00 kn
4717	Mast-top mounting bracket. Durable black plastic, 16mm dia hole	68,00 kn	85,00 kn
MDM115	Right angled black aluminium bracket (12mm dia hole for use with AA20, MD20 & MD23)	159,00 kn	198,75 kn
YBR	Right angle black aluminium bracket, 16mm dia hole	160,00 kn	200,00 kn
<b>Adaptors &amp; Shim Kits</b>			
ADAPT1	Adapts M16 male thread to 1"-14 female thread - Black Nylon. <b>ADAPT4 can also be used.</b>	260,00 kn	325,00 kn
ADAPT2	Adapts 1"-14 female thread to M16 male thread - White Nylon	84,00 kn	105,00 kn
ADAPT7	Adapts 1"-14 male thread to 1"-11 BSP female thread - stainless steel	424,00 kn	530,00 kn
4705	Adapts 1" dia pipe to 1"-14 male thread - stainless steel	108,00 kn	135,00 kn



## Marine Antennas European Retail Price List 2019 / 20

Part Number (old part No. in brackets)

### Mounts & Accessories (Continued)

#### Commercial Mounts and Brackets

408-R	Stand off upper bracket, nylon, for antennas of 28mm, and 38mm dia	124,00 kn	155,00 kn
MXG100	Mounting plate, galvanised steel for mast or rail mounts, U bolts included	280,00 kn	350,00 kn
81-5	Swivel base mount, stainless steel with 1"-14 thread	392,00 kn	490,00 kn
4715	Mast mounting clamp set - galvanised steel, with rubber cushion pads, fits 25mm - 50mm dia antennas and masts	472,00 kn	590,00 kn
410-R	Mounting kit - heavy duty, includes the 81-5 mount & 408-R upper bracket, for 25mm, 28mm and 38mm dia antennas, "1-14 thread	564,00 kn	705,00 kn
4187-HD	Ratchet mount - Extra heavy duty stainless steel ratchet deck mount with handle, cable slot, 1"-14 thread.	500,00 kn	625,00 kn
AHDVM	Mast or pole 1"-14 mount, stainless steel mounting bracket with 'U' bolts included	692,00 kn	865,00 kn
MDM70-14	Mast or rail mount - heavy duty aluminium bracket for 1"-14 thread antennas, U bolts included	1.000,00 kn	1.250,00 kn
MDM70-11	Mast or rail mount - heavy duty aluminium bracket for 1"-11 BSP thread antennas, U bolts included	1.000,00 kn	1.250,00 kn

#### Switches & Testers

CS-2	Antenna or VHF radio switch, two-way manual switch SO239 (UHF) terminals	564,00 kn	705,00 kn
4357-S	AM/FM / VHF Marine Band Separator, use with all marine VHF antennas and AM/FM receivers	592,00 kn	740,00 kn
ART-3	VHF Antenna and Radio tester. Tests antenna VSWR plus VHF radio transmit and receive functions SO239 (UHF) terminals	1.100,00 kn	1.375,00 kn
AS-2	Automatic antenna switch, toggles two radios between one antenna SO239 (UHF) terminals	1.068,00 kn	1.335,00 kn

#### Cable and Cable Packs

YCP20	20m RG58 cable pack, complete with solderless connector and PL259	320,00 kn	400,00 kn
RG58	100m reel RG58 (5mm) 50 Ohms Coaxial cable	756,00 kn	945,00 kn
LBC195	50m reel Low Loss (5mm) solid core, 50 Ohms coaxial cable	1.576,00 kn	1.970,00 kn
RG213	50m reel RG213 (10mm) 50 Ohms coaxial cable	1.360,00 kn	1.700,00 kn
RG59	100m reel RG59 (5mm) 75 Ohms TV coaxial cable	768,00 kn	960,00 kn
RG59-20	20m RG59 (5mm) 75 Ohms TV coaxial cable	244,00 kn	305,00 kn

#### Connectors, Adapters, Plugs Etc

##### Deck Plugs, Connectors and Glands:

ACC105	N Type deck plug & socket for RG58 cable (ACC130 & ACC140)	308,00 kn	385,00 kn
ACC106	N Type deck plug & socket for RG213 cable	536,00 kn	670,00 kn
ACC108	Through deck gland for RG58 / RG213 cable	316,00 kn	395,00 kn
ACC130	N Type deck connector for RG58 cable	204,00 kn	255,00 kn
ACC133	N Type deck connector for RG213 cable	384,00 kn	480,00 kn
ACC135	SO239 (UHF) deck connector for RG58 / RG213 cable	248,00 kn	310,00 kn
ACC151	Vinyl Plug Shroud for RG58 cable x2	68,00 kn	85,00 kn

##### Gold Plated Centerpin® Solderless Connectors

PL-258-CP-G	Centerpin® solderless splice connector for RG8X or RG58/AU cable	84,00 kn	105,00 kn
PL-259-CP-G	Centerpin® solderless PL259 connector for RG8X or RG58/AU cable	84,00 kn	105,00 kn

##### Gold Plated Brass Adapters & Connectors

PL-258-G	Barrel connector for PL259-ended cable	60,00 kn	75,00 kn
PL-259-58-G	PL259 connector with UG175 adapter & DooDad® for RG58 cable	116,00 kn	145,00 kn
PL-259-8X-G	PL259 connector with UG176 adapter & DooDad® for RG8X cable	96,00 kn	120,00 kn
PL-259-G	PL259 connector for RG8/AU & RG213 cable	96,00 kn	120,00 kn

##### Nickel Plated Brass Adapters & Connectors

ACC140	N Type Plug for RG58 cable	96,00 kn	120,00 kn
ACC142	N Type Jack for RG58 cable	104,00 kn	130,00 kn
ACC154	BNC Plug for RG58 cable	60,00 kn	75,00 kn
ACC155	BNC Jack for RG58 cable	48,00 kn	60,00 kn

Part Number (old part No. in brackets)

### Power Verters

#### Non-Isolated Common Negative

PV3s	24v-12v 3/6 amp, Switch mode Power Voltage Converter	380,00 kn	475,00 kn
PV6s	24v-12v 6/10 amp, Switchmode Power Voltage Converter	492,00 kn	615,00 kn
PV12s	24v-12v 12/18 amp, Switchmode Power Voltage Converter	828,00 kn	1.035,00 kn
PV18s	24v-12v 18/21 amp, Switchmode Power Voltage Converter	1.188,00 kn	1.485,00 kn
PV24s	24v-12v 24/30 amp, Switchmode Power Voltage Converter	1.580,00 kn	1.975,00 kn

#### Isolated Input to Output

PV3i	24v-12v 3/6 amp, isolated Switchmode Power Voltage Converter	756,00 kn	945,00 kn
PV6i	24v-12v 6/10 amp, isolated Switchmode Power Voltage Converter	988,00 kn	1.235,00 kn
PV12i	24v-12v 12/18 amp, isolated Switchmode Power Voltage Converter	1.660,00 kn	2.075,00 kn
PV18i	24v-12v 18/21 amp, isolated Switchmode Power Voltage Converter	2.376,00 kn	2.970,00 kn
PV24i	24v-12v 24/30 amp, isolated Switchmode Power Voltage Converter	3.164,00 kn	3.955,00 kn